


**CFS
ENGLISH**Jul. 22, 2026
9:42 am**QUALICUM BEACH VFR TERMINAL PROCEDURES CHART**

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 3 September 2026 to 0901Z 29 October 2026

B914 AERODROME/FACILITY DIRECTORY

QUALICUM BEACH VFR TERMINAL PROCEDURES CHART (Cont'd)

NOISE

Avoid overflight of noise sensitive areas at less than 1200 ASL

Rwy 11 recommended departure

- Track extended rwy centreline.
- When safe, turn South using best rate of climb BPOC.


Rwy 29 recommended departure

- Track extended rwy centreline to railway tracks.
- When safe, turn South using best rate of climb BPOC.

QUALICUM BEACH BC

CAT4

REF	N49 20 14 W124 23 38 2.1E 17°E (2013) UTC-8(7) Elev 192' A5004 LO2 HI3 CAP
OPR	Town 250-752-6921 1530-2330Z† Mon-Fri exc hol Cert
PF	A-1,2,7 ATB ltd hrs ctc opr C-3,4,5,6
FLT PLN	
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
ACC	For IFR clnc ctc Comox Terminal 250-339-8115 before take off. IFR tng flts PPR Comox Terminal 250-339-8115.



SERVICES	
FUEL	100LL, JA
S	2 15-24Z† Mon-Fri, 4, 5 Pilot Lounge H24
RWY DATA	Rwy 11(111°)/29(291°) 3564x75 ASPH Thld 11 displ 485' Thld 29 displ 251' Rwy 11 down 0.70%
RWY CERT	Rwy 11/29 AGN I
TWY	Twy F: Pvt
APRON	Apron III, IV: Pvt
RCR	Opr Ltd win maint
LIGHTING	11-(TE ME) P1 4.5°, 29-(TE ME) P1 4.5° ARCAL-122.8 type K
COMM	
MF	tfc 122.8 5NM 3200 ASL (CAR 602.98)
TML	Comox 123.7 227.6

CFS
ENGLISH

Jul. 22, 2026
9:42 am

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 3 September 2026 to 0901Z 29 October 2026

AERODROME/FACILITY DIRECTORY B915


QUALICUM BEACH BC (Cont'd)

CAT4

PRO	Rgt hand circuits rwy 11 (CAR 602.96) For IFR clnc etc Comox tml 250-339-8115, 10 min prior to dep. Night restrictions (btwn 06-14Z†): Medevac only, or PPR. Night circuit height 1400 ASL due terrain. Night ops prohibited when PAPI u/s. Cont circuits PPR
HELI NOISE	Avoid overflight of noise sensitive areas at less than 1200 ASL. See sketch and QUALICUM BEACH VFR TERMINAL PROCEDURES CHART. ARR/DEP To avoid noise sensitive areas: Departure: Rwy 11 preferred when safe. Arrival: Rwy 29 preferred when safe. NOISE ABATEMENT PROCEDURES (pursuant to CAR 602.105): These procedures apply to acft operating under VFR dur wx conds of 2 or more miles vis or better. Arr: Landing acft to be established on or S of extended rwy centerline within 2NM of rwy thld. Dep: Acft track extended rwy centerline, no turns N BLW 1000 ASL within 2NM of rwy end. No alt restriction on turns to S.
CAUTION	100' trees aprx 3000' fr Thld 29. Only pilots familiar with lcl terrain should use this A/D dur hrs of darkness. Parachuting aprx 7NM ESE A/D fr 12,500 ASL.

QUALICUM BEACH (AEROSMITH HELI SERVICE) BC (Heli)

CAS5

REF	N49 18 25 W124 24 48 2.2S 17°E (2014) UTC-8(7) Elev 292' A5004	
OPR	Aerosmith Heli Service 250-954-0668 Reg PPR	
PF	A-1 D-2,3,4,5,6	
FLT PLN		
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
HELI DATA	FATO/TLOF 85' x 56' CONC Safety Area 85' x 220'	
RCR	Opr 250-443-1678 15-04Z†	
COMM		
ATF	tfc 122.8 5NM centered on Qualicum Beach A/D 1.9NM NE 3200 ASL	
PRO	Arr/dep 063° fr heli, day use only. Arr/dep 313° curved to 253° fr heli, day use only. Avoid over-flying built-up area on arr/dep.	
CAUTION	150 AGL trees WNW adj to Heli.	

QUAMICHAN LAKE (RAVEN FIELD) BC

CML2

REF	N48 48 43 W123 39 02 2.7NNE 17°E (2013) UTC-8(7) Elev 130' VTA A5004
OPR	John Howroyd 250-889-5770 Reg PPR
PF	B-1 C-2,3,4,5,6
FLT PLN	
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
RWY DATA	Rwy 16/34 1800x75 grass Rwy 34 up 5.5% Soft in winter
RCR	Opr 15-04Z† No win maint.
COMM	
ATF	tfc 122.8 2NM 3200 ASL

CFS
ENGLISH

Jul. 22, 2026
9:42 am